



Workshop Supplies & Tools

- Angle & Mounting Brackets
- Tiling Supplies
- Rodding Bars & Stands
- Gold & Gilding Accessories
- Gravestone Dowels
- Gravestone Fixings
- Exterior Masonry Facades Anchors
- Wood Wedges
- Marking
- Measuring Devices
- Positioning & Levelling Laser
- Stencils & Accessories
- Paint, Brushes & Accessoires
- Other
- Substructure Materials





Welcome to the weha catalog for workshop supplies and tools that you need every day in the workshop or on the construction site.

Browse through our range, starting with high-quality and durable fastening systems and worktop reinforcement for stability and the highest requirements.

Find all the tools you need, from gold plating to our blasting foils in a wide range of widths and thicknesses.

You will also find the most common tools for marking and measuring for precise work and perfect results.

Angle & Mounting Brackets	4
Tiling Supplies	7
Rodding Bars & Stands	8
Gold & Gilding Accessories	10
Gravestone Dowels	15
Gravestone Fixings	17
Exterior Masonry Facades Anchors	18
Wood Wedges	20
Marking	21
Measuring Devices	26
Positioning & Levelling Laser	30
Stencils & Accessories	31
Paint, Brushes & Accessoires	39
Other	40
Substructure Materials	53

Workshop Supplies & Tools

Angle & Mounting Brackets

Quantity scale

400 pce 10%
1000 pce 25%
1600 pce 35%



Angle bracket galvanized

Simple connection of enclosures.

- Gusset

Article#	Height mm	Leg length mm	Thickness mm	Pack. unit
126179	35	73	5	50


Angle bracket galvanized SET with bolt anchor

The perfect combination for connecting edgings.

The galvanized fixing brackets for the quick and secure connection of grave borders. All brackets included in the scope of delivery are provided with a bead (corner reinforcement), which ensures additional stability. The slotted holes make installation easier. Our anchors are characterized in particular by the special expanding sleeve, which engages securely and quickly in the drill hole.

SET consisting of:

- Mounting brackets
- Express anchors
- Galvanized
- Height mm: 35
- Pack. unit: 1
- Thickness mm: 5
- Leg length mm: 73



Article#	anchor count	count angle
105344	200	100
108739	400	200
108201	600	300
108740	1000	500



Angle bracket stainless steel

For easy connection of edgings.

- With corner reinforcement

Article#	Height mm	Leg length mm	Thickness mm	Pack. unit
130074	35	73	4	50

Quantity scale

400 pce 10%
1000 pce 25%
1600 pce 35%



Angle bracket with disc 75x75 mm

Simple connection of enclosures.

- Galvanized steel strip with a hole punched out to receive a sliding plate
- Corner stiffening

Article#	Height mm	Leg length mm	Thickness mm	Pack. unit
104715	35	75	4	50

Angle bracket with washer 75x75 mm

Simple connection of enclosures.

- Galvanized steel strip with a hole punched out to receive a sliding plate
- Corner stiffening



Quantity scale

400 pce 10%
1000 pce 25%
1600 pce 35%

Article#	Height mm	Leg length mm	Thickness mm	Pack. unit
102889	35	75	4	50

Flat bar 4 mm

Straight connection for grave broders.

- Galvanized execution
- 2 long holes 35 x 9 mm




Article#	Thickness mm
104761	4



Workshop Supplies & Tools


Angle & Mounting Brackets



Mounting bracket with adjusting screw

This mounting bracket is ideal for connecting cover plates. Including adjusting screw.

Article#	Width mm	Height mm	Leg length mm	Thickness mm	Pack. unit
137298	35	70	70	7	1



Tile leveling system

System for leveling tiles directly during installation. The system can be used both on the floor and on the wall. Especially advantageous for large-sized tiles.

- Complete set in the bucket
- 200 threaded pockets
- 50 turrets
- 100 wedges
- 1 collet

Article#

140623

Workshop Supplies & Tools

Rodding Bars & Stands



Dispenser for fiberglass rodding

The rodding stand is perfect for effortlessly unwinding and directly cutting GRP profiles.


- Incl. cutting tool
- Mobile
- Suitable for profiles on 30 meter / 100 meter roll in 0-30 mm thickness
- GRP profile shown is not included

Article#	Width mm	Height mm	Length mm
152124	650	940	1300

Fiberglass rodding 10×3

Fiberglass-plastic profile for the reinforcement of kitchen worktops

- Two-sided groove ensures an absolutely secure adhesive connection



Article#	Carbon reinforcement	Length m	Profile mm
133922	No	100	10×3

Quantity scale

3pce 10%
5pce 25%
10pce 25%
20pce 35%



Fiberglass rodding CF 10×3


For granite, marble, all natural stones, Engineered stones and Quartz counter tops.

- With a carbon fiber grid for a significantly higher stability
- The two-sided groove ensures an absolutely secure adhesive connection
- Profile mm: 10×3

Article#	Length m
107207	30
118735	50
119188	100

Quantity scale

3 pce 10%
5 pce 15%
10 pce 25%
20 pce 35%



Fiberglass rodding CF 15×3

For granite, marble, all natural stones, Engineered stones and Quartz counter tops.

- With a carbon fiber grid for a significantly higher stability
- The two-sided groove ensures an absolutely secure adhesive connection
- Carbon reinforcement: Yes
- Profile mm: 15×3

Article#	Length m
109410	30
109904	100


Fiberglass rodding CF 6×3

For granite, marble, all natural stones, Engineered stones and Quartz counter tops.

- With a carbon fiber grid for a significantly higher stability
- The two-sided groove ensures an absolutely secure adhesive connection

Quantity scale


3 pce 10%
5 pce 25%
10 pce 25%
20 pce 35%



Article#	Carbon reinforcement	Length m	Profile mm
126487	Yes	100	6×3

Quantity scale

3 pce 10%
5 pce 15%
10 pce 25%
20 pce 35%



Fiberglass rodding CF-SC 10×3

For granite, marble, all natural stones, Engineered stones and Quartz counter tops.

- Carbon fiber and steel grid for a significantly higher stability
- Two-sided groove ensures and absolutely secure adhesive connection

Article#	Carbon reinforcement	Length m	Profile mm
133229	Yes	100	10×3pcs



Workshop Supplies & Tools

Gold & Gilding Accessories

Quantity scale

12 pce 10%
24 pce 25%
36 pce 35%



Application brush

For the application of leaf gold, leaf silver and percussion metal.

- Genuine bristles
- Metal-covered

Article#	Size
102988	4
102989	6
102990	8
102991	10
102992	12
105049	14

Artifex grinding block

For the removal of color, overgrowth and polish on polished surfaces.

- Rubberized block with abrasive additives
- 70 x 50 x 40 mm
- Grain size 400



Article#
102994



Brush for gold application

This brush helps for the application of leaf gold. It consists pure fehair.

Article#	Width mm
102993	48

Chrome-Yellow F

Best base for gilding.

- Mixed with Mixtion



Article#

102978



Cuttlefish bones premium-quality

For removing old paint, gold, etc.

- Large selected premium goods
- Length approx. 210mm
- Hard white finish
- 1 kg bag with approx. 20 pieces

Article#

107822



Gilding brush

Tied round brush made of pure squirrel hair, held in a wooden handle.


- Spiky

Article#	Size
102986	12
102987	20


Gold 23 ¾ carat 80×80mm Rosenoble-Double - booklet

For high quality gilding.

- 1 booklet of 25 sheets
- Suitable for weatherproof gilding
- Weight approx. 13 grams
- Length 80 mm
- Width 80 mm
- 3 times strong
- Carat: 23 ¾



Article#	Model
139065	Loose
139066	Transfer



Gold 23 ¾ carat „lose“ – book

For high quality gilding.

- Length 80 mm
- Width 80 mm
- 300 papers

Article#	Model	Carat
142631	Loose	23 ¾



Gold 23 ³/₄ carat „transfer“ – book

For high quality gilding.

- Weight 13 g
- Length 80 mm
- Width 80 mm
- 300 papers

Article#	Model	Carat
142951	Transfer	23 ³ / ₄

Gold size „Goldgrund“ (20 min)

Special mixtion with extra short drying time. Suitable for indoor and outdoor. Already dyed yellow.

- 20 minutes
- Yellow



Quantity scale

2 pce 10%
4 pce 25%
6 pce 35%

Article#	Container ml	Hours
104760	125	0,2



Gold size „Kölner Rapid“ 100 ml

Acrylic-adhesive especially for outside area with special properties.

- Ready within 15 minutes
- Uncolored
- Container ml: 100
- Hours: 8

Article#	Colour
143768	Clear
143767	Yellow



Workshop Supplies & Tools

Gold & Gilding Accessories



Mixtion 125 ml

Mixtion (french for mixture) is a special oil for leaf gold.

- Container ml: 125

Article#	Hours
102996	3
102997	12



Bolt Anchor Fischer 8×50 mm galvanized

For quick installation of the mounting brackets - Grips immediately even with difficult materials - Further development of the classic anchor - Galvanized - Already pre-assembled

Article#	Length mm	Pack. unit	Ø mm
131734	55	50	8

Bolt Anchor Fischer 8×50 mm stainless steel

For quick installation of angle brackets.

- Even with difficult materials
- Preassembled
- Galvanized



Quantity scale

200 pce	10%
500 pce	15%
800 pce	25%


Article#	Length mm	Pack. unit	Ø mm
106108	55	50	8

Workshop Supplies & Tools

Gravestone Dowels

Quantity scale

100 pce 10%
200 pce 25%
300 pce 35%



Plain dowel stainless steel

- Stainless steel V2A
- Packing unit 50 pieces

Article#	Length mm	Ø mm	Ø mm/Length mm
109477	100	12	12/100
109481	120	12	12/120
109483	140	12	12/140
109485	160	12	12/160
109486	180	12	12/180
109487	200	12	12/200
109488	180	14	14/180
109494	160	16	16/160
109496	200	16	16/200

Threaded dowel stainless steel

- Continuous, metric thread
- Packing unit 50 pieces
- Stainless steel V2A



Article#	Length mm	Ø mm	Ø mm/Length mm
109511	140	12	12/140
109515	160	12	12/160
109516	180	12	12/180
109517	200	12	12/200
109526	200	16	16/200

Quantity scale

4 pce 15%
10 pce 25%



Gravestone fixing „PLUS“

The new, reinforced gravestone fixings for your exhibition! They are characterized by their extreme stability. Due to the sturdy legs, a fall of the gravestones on your terrain is almost impossible.

- This set contains 4 pairs

Article#	Rail length mm	Pack. unit	Adjusting range mm
134600	430	4	35-370

Workshop Supplies & Tools

Exterior Masonry Facades Anchors

Quantity scale

10 pce 10%
20 pce 15%



Anchor „HAMA“ 60/160/2

For fixing front-plates.

- Very good for small drillholes
- Capacity max. 30 kg
- Stainless steel

Article#	Projection mm	Arbors/Mandrels	Length mm
102896	60	2	160

Anchor V4A

For fixing front-plates.

- Width 12 mm
- Thickness 2 mm
- Stainless steel



Article#	Total length mm
102892	120
102893	140
102894	160

Quantity scale

10 pce 10%
20 pce 15%



Hama-Anchor N 30-4-2

For fixing front-plates.

- Very good for small drillholes
- Capacity max. 30 kg
- Stainless steel
- Length mm: 140
- Projection mm: 40

Article#	Arbors/Mandrels
102897	1
102895	2



Tile wedges - small (1000 pcs.)

To put underneath, support or for stopping.

Article#	Width mm	Height mm	Length mm	Pack. unit
102885	7	8	50	1000

Wood wedges

To put underneath, support or for stopping.

- Out of beech wood
- Width mm: 24



Article#	Height mm	Length mm	Pack. unit
120217	20	100	1200
112484	16	60	200
125861	16	60	2000
105408	20	80	2000
112483	20	80	100



Diamond pencil Gr.26

- With exchangeable slide scribing needle in practical lead holder

Article#

102541

Diamond pencil with wooden handle

These diamond pens can be used on hard surfaces.

- Nature tip
- Tapered conical



Article#	Size
102539	3
102540	4



Article#

106901

Drilling template for angle brackets

For precise drilling plug holes in enclosures

- The drill guides are equipped with wear-free bore bushings
- Drill spacing are matched to the head pieces or base

Workshop Supplies & Tools

Marking



Masonry pen

Water-soluble and universally applicable.

- 24 cm long, flat-oval, pointed
- With hard lead for stone and concrete

Article#	Length mm	Pack. unit
102916	240	12

Profi marker set

Comprehensive marker set for use on almost all dry and wet surfaces.

On set contains:

- 2 pcs. holder blue
- 5 pcs. mine red
- 5 pcs. mine yellow
- 5 pcs. mine black



Article#	Pack. unit
110902	5

Scriber needle 6 mm

- With soldered carbide pin



Article#	Ø mm
102538	6



Staedtler Glasochrom pen

- Only on dry stone
- Packing 12 pcs.
- Length 175 mm
- Thickness 7 mm
- Waterproof
- Good adhesive
- Length mm: 175
- Pack. unit: 12
- Thickness mm: 7

Article#	Colour
102925	Blue
102924	Red
102922	White
102923	Yellow

Staedtler Omnichrom pen

For markings on dark and transparent surfaces.
The ideal tool for industry and crafts.

- Packing unit 12 pieces
- Can be wiped clean
- Water soluble



Article#	Colour
102921	Blue
102920	Red
102918	White
102919	Yellow

Workshop Supplies & Tools

Marking



Staedtler Omnigraph chalking sticks

- Only on dry stone
- Packing 12 pcs.
- Length 110 mm
- Thickness 11 mm
- Waterproof
- Good adhesive
- Length mm: 110
- Pack. unit: 12
- Thickness mm: 11

Article#	Colour
102936	Black
102934	Blue
102933	Red
102931	White
102932	Yellow

Staedtler pressure pin for Omnichrom

Especially for mines of omnichrom.

- Packing 5 pcs.
- Thickness of mine 3 mm
- Water-soluble



Article#

102926



Staedtler refills for pressure pin

- Water-solubly
- Cleanly wipe offable
- Packing unit 12 pieces
- Lead thickness 3 mm

Article#	Colour
102930	Black
102929	Red
102927	White
102928	Yellow

Stone mason's pencil Professional 331

Water-soluble and universally applicable.

- Round oval
- Hardness 10
- With hard lead for stone and concrete



Article#	Length mm
122630	300




Aluminum measuring bar 1250 mm

- Stable, dimensionally stable processing
- Easy to read mm graduation

Article#	Length mm
144507	1250

Aluminum spirit level

Aluminum spirit level



Article#	Length mm
130199	300
102878	400
102880	800
107239	1000



Bow compass 250 mm

- Forged
- With three-part milled fabric
- Polished and polishes
- Legs octagonally polished
- Points hardened and polished with specially strong rivet hinge

Article#	Total length mm
102758	250



Folding rule weha 2 m

- Made of robust plastic
- Quality class III

Article#

102866

Handheld laser meter V30

The V30 is a laser rangefinder that is simple to use and reliable in operation, with two references, leading edge and lower edge. The model is characterized by its simple operation and intuitive interface.


- Scope of delivery: laser rangefinder, protective bag, wrist strap, batteries, operating instructions.
- Measuring range: 0.05 - 30 m
- Accuracy: +/- 3 mm
- Laser class II
- 620 - 690 nm
- IP54
- 2 x 1.5 AAA LR03 (alkaline batteries)



Article#	Width mm	Weight g	Laser class	Length mm	Depth mm
150762	39	42	2	115	19

Steel ruler with bevel

Millimeter scale



Article#	Length mm
102874	1000
102875	1500




Steel squares

- Without stop bar
- By request also available with stop bar

Article#	Leg length a mm	Leg length b mm	Leg length a mm/Leg length b mm
102951	1000	500	1000/500
102943	150	100	150/100
102945	300	180	300/180
102946	400	230	400/230
102947	500	280	500/280
102948	600	330	600/330
102950	800	430	800/430

Telescopic measuring stick 5 m

- 5-piece
- Measuring range 1,24 - 5 m
- Made of robust aluminum square tube
- Rod can be extended meter by meter starting at the top and ending at the stop
- Measurement result can be read at the top joint in each case
- One-sided mm graduation
- Levelling graduation on the back
- With circular bubble



Article#

150669



Winkelfix Easy

For carpenters, glaziers, locksmiths, etc.

- Made of aluminum rectangular tube profile
- With 2 integrated vials

Article#	Weight g	Length mm
141127	650	400



Laser 15 mW „Gold-Line“ red

For fast, accurate positioning of the blade.

- Including block holder

Article#	Output mW	Colour	Laser class	Length mm	Prot. class	Ø mm
120262	15	Red	2M	213	IP64	40

Laser 45 mW „Gold-Line“ green

For fast, accurate positioning of the blade.

- Including block holder



Article#	Output mW	Colour	Laser class	Length mm	Prot. class	Ø mm
120803	45	Green	2M	210	IP64	40



Laser 50 mW „Gold-Line“ red

For fast, accurate positioning of the blade.

- Including block holder

Article#	Output mW	Colour	Laser class	Length mm	Prot. class	Ø mm
120263	50	Red	2M	213	IP64	40



Adhesive amplifier # 211

For improving the adhesion of sandblasting films, especially on rough and structured surfaces. Compensates for unevenness of the substrate. Ideally suited for deep blasting work.

Article#	Container ml
111710	3780

Adhesive booster water soluble # 333

For improving the adhesion of sandblasting films, especially on rough and structured surfaces. Evens out unevenness of the substrate. Easily washed off with water.



Article#	Container ml
105385	3780

Graphic cutter Graftix Boy #31172

For the cutting of stencils.



Article#	Martor#
107954	31172



Graphic cutter Grafix Piccolo #32132

For the cutting of stencils.

- Very light
- Adjustable blade

Article#	Martor#
103044	32132

Masking tape Tesa 4432

- For blowing on fonts and ornaments
- Easy to roll and good to cut
- Thickness 0.3 mm
- 1-layer
- Light sandblasting: Yes



Quantity scale

3 pce 10%
5 pce 15%

Article#	Width mm	Roll length mtr.	Width mm/Roll length mtr.
103024	100	50	100/50
103025	150	25	150/25
103026	250	25	250/25
103027	300	25	300/25
111822	50	50	50/50
103028	500	25	500/25



Scraper Scrapex #596

For the easy removal of labels, adhesive residue, color, varnish remnants on all smooth surfaces.

Article#	Width mm
103043	100

Spare blade for Grafix Boy #31172

■ 1 pack = 10 pieces



Article#	Martor#
101372	31172

Spare blade for Grafix Piccolo #32132

1 pack = 10 pieces



Article#	Martor#
103045	32132



Spare blade for Scrapex
100mm

For effortless removal of stickers, adhesive residues, labels and other paper, ink & paint residues from all smooth surfaces.

Article#	Width mm	Martor#
103046	14	96

Stencil Anchor 125

- Easy to cut
- Length 9,1 m
- Thickness 1,2 mm
- 2-layers
- Thickness mm: 1,2
- Average depth: Yes
- Plotter ready: Yes
- Deep sandblasting: Yes



Quantity scale

3 pce 10%
5 pce 15%

Article#	Width mm
111832	317
111833	476
111835	635

Quantity scale

3 pce 10%
5 pce 15%



Stencil Anchor 226


- Easy to cut
- Length 9,1 m
- 2-layers
- Thickness mm: 0,7
- Average depth: Yes
- Plotter ready: Yes

Article#	Width mm
110875	380
110876	508
110877	635

Stencil Blaster 2000

Universal PVC stencil for medium beam work.

- Easy to cut
- Roll length 20 m
- Thickness 0.3 mm
- 2-layers



Quantity scale

3 pce 10%
5 pce 15%
10 pce 20%

Article#	Light sandblasting	Width mm	Length m	Average depth	Plotter ready	Thickness mm
141140	Yes	635	20	Yes	Yes	0,35

Stencil Pro-Blast 12S

Deep jet film made of rubber with excellent adhesive strength. Adheres perfectly even on rough surfaces without adhesive booster.

Excellent jet resistance; thus also ideally suited for deep letters and ornaments.

- 2-ply
- plotter capable

Article#	Width mm	Length mm	Thickness mm
149517	635	9140	1,1



Stencil Pro-Blast 12S

Deep jet film made of rubber with excellent adhesive strength. Adheres perfectly even on rough surfaces without adhesive booster.

Excellent jet resistance; thus also ideally suited for deep letters and ornaments.

- 2-ply
- plotter capable

Article#	Width mm	Length mm	Thickness mm
153950	635	9140	1,1

Stencil roller

Easily and fast rolling of stencils.



Article#	Width mm
103042	75

Quantity scale

- 3pce 10%
- 5pce 15%
- 10pce 20%



Stencil WESA 115S


Very high-quality stencil made by a unique PVC mixture.

- Easy to cut
- Length 18,2 m
- Thickness 0,4 mm
- 2-layers
- Thickness mm: 0,4
- Light sandblasting: Yes
- Plotter ready: Yes

Article#	Width mm
110090	317
110091	476
110092	635

Quantity scale

3 pce 10%
5 pce 15%
10 pce 20%



Stencil WESA 425S

Very high-quality stencil made by a unique PVC mixture.

- Easy to cut
- Length 9,1 m
- Thickness 0,6 mm
- 2-layers
- Thickness mm: 0,6
- Average depth: Yes
- Plotter ready: Yes

Article#	Width mm
105218	317
105219	476
103047	635

Stencil WESA 530S

Very high-quality stencil made by a unique PVC mixture.

- Easy to cut
- Length 9,1 m
- Thickness 0,8 mm
- 2-layers
- Thickness mm: 0,8
- Average depth: Yes
- Plotter ready: Yes
- Deep sandblasting: Yes



Quantity scale

3 pce 10%
5 pce 15%
10 pce 20%

Article#	Width mm
111280	317
111281	476
111282	635



Stencil WESA 62

Very high-quality stencil made by a unique PVC mixture.

- Easy to cut
- Length 10 m
- Thickness 0,6 mm
- 2-layers
- Thickness mm: 0,6
- Light sandblasting: Yes
- Average depth: Yes
- Plotter ready: Yes
- Deep sandblasting: Yes

Article#	Width mm
137252	310
137253	470
137254	625

Quantity scale

10 pce 10%
20 pce 20%



Pumice stone artificially

- Fine grain
- To remove color remnants (font color) on the surface of polished stones

Article#	Model	Container kg
105454	Artificial	0,5


Writing brush

Watercolor brush made of sable.

- Tapering
- Stalk black painted



Article#	Size
102979	0
102980	1
102981	2
102982	3
102983	4
102984	5
102985	6



Air plug

- Made of Stainless Material


Article#	Connection *
104486	1/4 female
104484	1/4 male

Air plug with barb 9mm

- Made of Stainless Material



Article#	Inner Ø mm
104489	9



Anti-slip tape Safety Walk

Tapes provide durable, slip resistant surface for a large variety of applications.

Primarily for use on dry, wet, oily floors in industrial and commercial applications with intensive pedestrian or light vehicle traffic such as: corridors, production and storage rooms, ramps, stairways, ladders, footplates on machines, emergency exits, etc.

- High quality abrasive particles to ensure long-lasting friction in any application
- Plastic film to grant outstanding durability
- High performance adhesive
- Width mm: 25

Article#	Colour
104710	Black
104708	Grey
104712	Transparent


Antiskid profile 100m 3,2×8mm

Often in natural or artificial stone steps included as anti-slip profile. Easy insertion for pre-assembled slots.

- Sliding protection for marble stairs
- Deviating profiles when desired available
- Width mm: 3,2
- Height mm: 8



Article#	Colour
104704	Black
104706	Dark-Brown



Claw coupling

Absolute tightness is achieved by tightening the nut after coupling.

- Malleable iron with rubber sealing ring

Article#	Connection *
105717	1/2 female
104480	1/2 male
104479	19 LW

Consoles Typ L

Windowsill consoles are of the wall outstanding architectures that are located under the window.

- Thickness 1,5 mm
- Galvanized steel
- Height mm: 25
- Leg length mm: 120
- Depth mm: 33



Article#	Support surf. mm	Leg length mm/Support surface mm
102907	150	120/150
102908	200	120/200
102909	250	120/250
102910	300	120/300



Cuttlefish bones block

This sepia-block is suitable for removing dried color or glue rests from polished stones.

- 98 x 70 x 40 mm
- 60 gr


Article#

114942

Elastic spiral hose with quick coupling

Pressed with nipple and quick coupling

- Anti-kink spring



Article#	Connection	Hose length m
104401	Female coupler-Male coupler	7,5



Foam rubber squeegee

- With galvanized metal back and handle
- Tile washers double-lipped
- Extra stable

Article#	Length mm
102870	450
102871	550



Foam rubber squeegee doubled-sided 450 mm

- Hand wiper with plastic back
- Length 450 mm
- 2-sided with double lip

Article#	Length mm
109366	450

Grippy Gecko anti skid and catch blanket

On the back are thousands of small anti-slip dots that prevent slippage of the blanket when stepping on or loading.

- Protects high quality and delicate floors from footprints, dirt and scratches
- Durable, tear-resistant canvas material
- Washable and reusable
- Can be used on wood, tile, natural stone, carpet, concrete and metal surfaces
- Ideal for installation, assembly and stair work



Article#	Width cm	Length cm
148834	305	105



Hand brush

For rough and dry dirt.

Article#	Colour
102873	Brown



Lancet

Perfect for filling work and applying fillers.

- From high-quality forged steel
- Ground and polished blades

Article#	Width mm	Total length mm	Working length mm
102847	10	190	62
102848	20	225	80


Lead wire 5 kg

Can be easily handled by the coil. Very soft.

- Coil 5 kg
- Flexible and dimensionally stable
- Container kg: 5



Article#	Ø mm
103005	3
103006	3,5
103007	4
103008	4,5
103009	5
103012	8



Mounting set for stainless steel sinks

For the easy installation of stainless steel washbasins.

- 12 adhesive anchors, clamp clip, wing nut
- Easy and efficient installation without drilling and milling
- All parts galvanized

Article#

141596

Painter's spatula

- With oval wood shank and hanging hole
- Forged, hardened and finely polished



Article#	Blade width mm
102851	30
102853	50
102854	60

Plastic wedges - small (200 pcs.)

To put underneath, support or for stopping.



Article#	Width mm	Height mm	Length mm	Pack. unit
137130	20	14	90	200



Pneumatic hose


First-class quality with fabric insert.

- Very elastic and abrasion resistant

Article#	Inner Ø mm	Hose length m
104466	9	Piece goods

Quick coupling

- Self-cleaning one-hand coupling
- 1-30 bar
- Stainless steel



Article#	Connection *
104476	1/2 male
104474	1/4 male
104483	3/8 female
104478	Spout



Reel for compressed air hose

convenient, practical, state-of-the-art. The automatic unwinders for compressed air hoses reliably keep things tidy at the workplace.

- No more tedious rewinding of the hose necessary
- Convenient swiveling wall mounting and possibility to remove the reel for mobile use.
- Connections with 1/4 inch

Article#	Width mm	Pressure bar	Height mm	Length mm	Hose length m
147923	200	max 20	365	390	15

Workshop Supplies & Tools

Other

Quantity scale

2 pce 10%
6 pce 25%



Roller bracket for A-frames

Easily loading and unloading of slabs on transport racks.

- Ø 60 mm
- Galvanized

Article#

132569

Rubber strips

Protective cover between mountings.

- Self-adhesive and color neutral
- Length 10 meters
- Thickness 2 mm
- Length m: 10
- Thickness mm: 2



Quantity scale

6 pce 10%
12 pce 15%

Article#	Width mm
109016	60
109018	80
109019	100
109020	120

Saxo Anti-icing

Anti-icing granulate for fast and safe removal of ice and snow.

- Dewing effect up to -50° C
- Long-term effect up to 72 hours
- Protects plastic and marble floors
- Environmentally friendly & pet friendly
- Economical in consumption
- 8 times faster and 10 times more effective than conventional road salt



Article#	Container kg	Pack. unit
143165	5	1

Quantity scale

2 pce 10%



Schablonit template foil 0,25 mm

Strong as carton and at the same time tear resistant.

- Water resistant
- Easy to label
- Plotter capable

Article#	Width mm	Length m	Thickness mm
105510	1200	40	0,25

Sharpening stone

- White
- Suitable for sharpening diamond tools
- For independent profiling of CNC polishers

Quantity scale

10 pce 10%
20 pce 15%



Article#	Width mm	Length mm
108870	43	500

Quantity scale

10 pce 10%
20 pce 15%



Sharpening stone

- White
- Suitable for sharpening diamond tools
- For independent profiling of CNC polishers

Article#	Width mm	Height mm	Length mm
108956	100	20	300



Simplex hammer TPE Mid/Soft

- Hammer with replaceable adaptors
- Suitable for tilers
- Hard or soft rubber
- Malleable cast iron housing
- Blue/white

Article#

102859

Simplex insert 50 mm

Suitable for Simplex hammers.

- Ø 50 mm



Article#

140738

Quantity scale

5 pce 10%
10 pce 25%



Steel wool 200g

For removing glue or wax residues on polished natural stones.

- Weight g: 200

Article# Grit

111865 00

123876 2



Toolbox for young professionals

Discover our versatile toolbox, which is the perfect choice for beginners and professionals alike! Designed to meet the needs of all experience levels, this comprehensive set is the ultimate companion for any work environment.

Our tool kit includes:

- 1 pc. 102538 Scribing needle 6 mm
- 1 pc. 102758 bow compass 250 mm
- 1 pc. 102943 Steel angle 150x100mm
- 1 pc. 102946 Steel angle 400x230mm
- 1 pc. 122630 Stone masonry pin professional green 331, L300mm
- 1 pc. 102866 Meter stick weha 2 m plastic
- 1 pc. 102873 Hand broom coir
- 1 pc. 149603 UVEX earmuffs K1
- 1 pc. 130256 UVEX safety goggles 'i-3' lens colorless
- 1 pc. 147813 Respirator FFP3 without valve folded
- 1 pc. 150588 PVC apron Splash, adjustable strap
- 1 pc. 103014 Wooden mallet 140 mm
- 1 pc. 102736 Steel hammer 1 kg
- 1 pc. 102712 Impact and toothed iron holder KK25
- 1 pc. 102714 Toothed iron insert 25 mm coarse/5Z
- 1 pc. 102716 Toothed iron insert 40 mm coarse/8Z
- 1 pcs 152376 steel iron set incl. winding bag 7

Article#

152348

Tracing paper set white & yellow

To transfer on stones.

- Free of wax
- Economical in use
- Applicable to any surface



Article#	Width mm	Length mm
107834	830	570



Waterchuck

This water rinsing chuck allows water-cooled bores with commercially available angle grinders, drills or cordless screwdrivers.


Article#	Connection a	Connention b
104251	Cone B16	R1/2" female

Waterchuck

This water rinsing chuck allows water-cooled bores with commercially available angle grinders, drills or cordless screwdrivers.



Article#	Connection a	Connention b
104252	R1/2" female	M14 female



weha special compressed air oil

weha special compressed air oil was developed to optimally lubricate compressed air-powered tools and machines and to protect them against wear, corrosion and deposits caused by moisture. It ensures a long service life for the devices and prevents faults caused by deposits.

Article#
150880

Quantity scale

5 pce 10%
15 pce 25%



Article#	Thickness mm
132945	17
132946	27

Sub-construction material

Test winner guarantees easy and fast reinforcement of thin material with risk of fracture.

- 2 mm white covering
- Tested by „TÜV-Rheinland, section engineering
- Fixing with instand adhesive
- Grooves are not needed
- Single sided bevel milling (10 mm) guaranties a perfect bonding into the edges

Experimental setup:

- Work piece 500 mm (Quarz Composite Stone), thickness of material 2 mm, reinforced with sub-construction material up to a total thickness of 30 mm.
- 4 pieces with sub-construction material of 4 different suppliers which were produced on the same way

Test result with Weha sub-construction material:

- Break load without sub-construction material: 1,88 kilonewton
- Break load with Weha sub-construction material: 4,11 kilonewton
- Bend till fracture without sub-construction material: 1,3 mm
- Bend till fracture with Weha sub-construction material: 5 mm

Test piece with Weha sub-construction material was winner in both test categories.

- Width mm: 60
- Length mm: 3000

Adhesive amplifier	31
Air plug	40
Anchor	18,19
Angle bracket	4,5
Anti skid blanket	44
Anti-icing	48
Antiskid profile	41
Application brush	10
Artifex grinding	10
Bolt anchor	15
Bow compass	26
Brush for gold	11
Chrome-Yellow	11
Claw coupling	42
Console	42
Cuttlefish bones	43
Cuttlefish bones premium	11
Diamond pencil	21
Dowel	16
Drilling template	21
Fiberglass rodding	8,9
Flat bar	5
Folding rule	27
Gilding brush	12
Glasochrom	23
Gold leaf	12,13
Gold size	13
Graphic cutter	31,32
Hand brush	44
Laser	30
Laser meter	27
Lead wire	45
Masonry pen	22,25
Measuring bar	26
Measuring stick	28
Mixtion	14
Mounting bracket with adjusting	6
Mounting set	46
Oil	52
Omnichrom	23,24
Omnigraph	24
Plasterers leaf	45
Pneumatic hose	43,47
Pneumatic quick coupling	47
Pumice stone	39
Reel for air hose	47
Refill	22,25
Rodding dispenser	8
Roller bracket	48
Rubber strips	48
Safety Walk	41
Schablonit template	49
Scraper	33
Scriber needle	22
Sharpening stone	49
Simplex hammer	50

Simplex insert	50
Spare blade	33,34
Spirit level	26
Squeegee	43,44
Stability lock for showrooms	17
Steel ruler	27
Steel square	28
Steel wool	50
Stencil	34,35,36,37,38
Stencil roller	36
Sub-construction material	53
Tesa	32
Tile leveling	7
Toolbox	51
Tracing paper	51
Waterchuck	52
Wedges	20,46
Winkelfix Easy	29
Writing brush	39

Still haven't found what you're looking for?

There is even more choice and offers at weha.com



Order before 3 pm
for same day dispatch





Secure shopping
thanks to SSL encryption



Parcel shipping free
except packing costs

Quick help
via chat function





Contact details:
weha Ludwig Werwein GmbH
Wikingerstr. 15
DE-86343 Königsbrunn

+49(0)8231 | 6007-0
info@weha.com
www.weha.com



Subject to errors, changes and technical developments.

August 2024

Only valid while stocks last.